

NEVADA SUBDIVISION (0795)

Mile Post	Rule 6.3	CP #'s	Radio Display: Weso to Sparks -9696		Sta. #'s	Siding Feet	
			WEST STATIONS	EAST STATIONS			
420.9	CTC	F536	WESO (4.8)		UX420		
417.5 416.1		RV417 RV416	WINNEMUCCA (9.5)	!	UX426	6756	
406.6			ROSE CREEK (14.5)		RV011		
394.1 392.1		RV394 RV392	MILL CITY (8.0)	!	RV023	11000	
384.1			IMLAY (3.7)		RV032		
382.4 380.4		RV382 RV380	HUMBOLDT (16.2)	!	RV050	11000	
366.3 364.2		RV366 RV364	RYE PATCH (15.5)	!	RV065	12060	
351.3 348.7		RV351 RV349	COLADO (12.9)	!	RV083	13713	
337.8 335.8		RV338 RV336	GRANITE POINT (8.7)	!	RV095	9940	
329.0 327.1		RV329 RV327	TOY (8.1)	!	RV103	9620	
321.0 319.0		RV321 RV319	OCALA (8.8)	!	RV111	9860	
312.2 310.2		RV312 RV310	PARRAN (9.0)	!	RV120	9600	
303.1 301.2		RV303 RV301	UPSAL (9.2)	!	RV129	10200	
293.2 292.0		RV293 RV292	MASSIE (4.1)	!	RV139	6185	
289.2 287.9		RV289 RV288	HAZEN (4.4)	!	RV143	6500	
285.5 283.5		RV285 RV283	DARWIN (8.2)	!	RV147	9400	
277.3 275.3		RV277 RV275	FERNLEY (10.1)	!T	RV155	10100	
267.2 265.2		RV267 RV265	THISBE (4.0)	!	RV165	9600	
262.4 261.2		RV262 RV261	CLARK (4.4)	!	RV169	5745	
258.0 256.8		RV258 RV257	PATRICK (4.3)	!	RV174	5875	
253.7 252.5		RV254 RV252	HAFED (3.1)	!	RV178	5990	
249.4		DT ABS	RV249	VISTA (3.2)	Y	RV182	
246.2				SPARKS		BTY	RV185

(174.7)

SI-01 MAIN TRACK AUTHORITY

CTC between:
MP 420.9 and MP 249.1.

ABS Rule 9.14 between:
MP 249.1 and MP 246.2.

Yard Limits between:
MP 249.1 and MP 246.2.

SI-02 MAXIMUM SPEED TABLE

Maximum Speed	MPH	
Between Mileposts	PSGR	FRT
420.9 and 246.2		
(Except as Below).....	79	70
406.5 and 402.7.....	70	70
402.7 and 393.2.....	70	60
393.2 and 388.3.....	70	70
388.3 and 388.2.....	70	60
388.2 and 382.9.....	70	70
382.9 and 380.4.....	70	60
380.4 and 341.2.....	70	70
331.3 and 329.0.....	75	70
323.5 and 322.9.....	75	70
317.5 and 317.0.....	75	70
317.0 and 312.2.....	75	65
312.2 and 293.3.....	75	70
293.3 and 286.8.....	75	65
286.8 and 283.5.....	70	65
283.5 and 274.1.....	70	70
274.1 and 273.8.....	50	40
273.8 and 271.1.....	60	60
271.1 and 270.8.....	55	50
270.8 and 264.8.....	70	60
264.8 and 262.3.....	55	50
262.3 and 253.8.....	70	60
253.8 and 252.7.....	55	50
252.7 and 252.1.....	40	40
252.1 and 249.4.....	70	60
249.4 and 247.1.....	60	60
247.1 and 246.2.....	30	25

SI-03 OTHER SPEED RESTRICTIONS

Maximum Speed **MPH**

1. **Thru Sidings & Turnouts**
Sidings Mill City, Humboldt, Rye Patch, Colado, Granite Point, Toy, Parran, Upsal, Massie, Darwin, Thisbe, Clark, Patrick, Hafed..... 25
Sidings Ocala, Fernley..... 20
Sidings Winnemucca, Hazen..... 10
2. **Dual Control Switch Turnouts**
Weso MP 420.9: turnout at UP CONN..... 20
Vista MP 249.4: turnout to Trk.2..... 50
3. **Misc. Speed Restrictions**
Trk.811 MP 415.1..... 5

SI-04 MAIN TRACK DESIGNATIONS

Double track between:
MP 249.1 and MP 246.2;
North track is designated Trk.1, current of traffic eastward.
South track is designated Trk.2, current of traffic westward.

SI-05 MILEPOST EQUATIONS

Nevada Sub. MP 246.2 = MP 243.7 Roseville Sub.

SI-06 DTC BLOCK LIMITS - None.


SI-07 ITEM 13 TRAIN DEFECT DETECTORS

(#) 412.0	(#) 358.0	(#) 297.0
(#) 395.8	(#) 347.5	(#) 283.5
(#) 387.2	(#) 334.8	(#) 270.5
(#) 377.8	(#) 323.7	& 260.5 *
(#) 368.3	(#) 310.0	(#) 251.6

* Protects bridge at MP 258.1.

SI-08 RULES ITEMS		
<p>Rule 9.17 Sparks: In Yard Limits between MP 249.1 and MP 239.6 trains or engines may only enter main track at a hand operated switch by permission of the Sparks Yardmaster. After permission is received, train or engine may enter main track without waiting 5 minutes under the following conditions:</p> <ul style="list-style-type: none"> * Enter Track 2 after determining from Yardmaster that no westward train has been granted permission to pass MP 249.1 and that limits are clear, or all movements within the limits are stopped. * Enter Track 1 after determining from Yardmaster that no eastward movement has been granted permission to pass MP 239.6 and that limits are clear, or all movements within the limits are stopped. 		
SI-09 FRA EXCEPTED TRACKS - None.		
SI-10 BUSINESS TRACKS		
Track Name	MP	STA. #'S
Lovelock	344.3	RV087
SI-11 INDUSTRIAL LEADS - None.		
SI-12 TONNAGE RESTRICTIONS/TPOB		
Maximum Gross Weight: 158 tons		
SI-13 TRAIN MAKE-UP RESTRICTIONS - None.		
SI-14 MISC. INSTRUCTIONS		
<p>Sparks: All trains including Amtrak and other passenger trains must not depart Sparks without permission of Yardmaster or their representative. All westward trains including Amtrak and other passenger trains must not pass MP 249.1 Yard Limits without permission of Yardmaster or their representative.</p> <p>Sparks: Procedure for Sparks Yardmaster to issue track authority to Men & Equipment to occupy main Track 1 and/or Track 2 within Yard Limits between MP 249.1 and MP 239.6: Before issuing authority to Men & Equipment, Yardmaster must know: *Limits on track(s) to be occupied by Men & Equipment are clear; *No eastward trains have been granted permission to pass MP 239.6; *No westward trains have been granted permission to pass MP 249.1. To issue track authority, Yardmaster and MW employee involved will use current UPRR Track Permit Form. Procedure for issuing and receiving track authority must be followed as outlined in Rule 2.14 Mandatory Directives. Following items on this form will be used: Authority No. _____ Date _____ To _____ Track _____ Work between _____ and _____ Joint with _____ (Men & Equipment ONLY) OK _____ Yardmaster Initials _____ Limits Reported Clear at _____ While track authority is in effect, no train or engine movements will be granted permission to enter the limits of the track authority issued to Men & Equipment.</p>		

Sparks Terminal Map



SPARKS, NEVADA